

RT-6046 Performance Data

AIR TEC

AIR SYSTEMS




Type Number		RH-6046	RT-6046 L	RT-6046
Phase		3	3	3
Output Kw	50Hz	3.4	3.4	4.0
	60Hz	3.7	3.7	4.6
Voltage V	50Hz	208-255/360-440	208-255/360-440	208-255/360-440
	60Hz	220-265/380-460	220-265/380-460	220-265/380-460
Current Amp	50Hz	12.5/7.2	12.5/7.2	14.3/8.2
	60Hz	13.5/7.8	13.5/7.8	16.2/9.3
Vacuum mbar	50Hz	260	260	270
	60Hz	280	280	315
Pressure mbar	50Hz	280	280	330
	60Hz	280	280	320
Air Flow m ³ /min	50Hz	5.2	5.2	5.2
	60Hz	6.2	6.2	6.2
Insulation Class		H	H	H
L1		143.5[5.65]	186.5[7.34]	143.5[5.65]
L2		370[14.58]	413[16.26]	370[14.58]

RT-2200/3 & RT-3700/3 series (Blowing)

50Hz _____

60Hz _____

The technical data is based on 1 bar (abs.) free atmosphere and 20° C with Inlet air density 1.2kg/m³, includes 10% variance.





RT-2200/3 & RT-3700/3 series (Suction)

50Hz —————

60Hz —————

The technical data is based on 1 bar (abs.) free atmosphere and 20° C with Inlet air density 1.2kg/m³, includes 10% variance.





Drawing name : RT-2200 & RT-3700

Airtec Air Systems
 Unit 3A Clover Centre
 Egmont Street - Mossley - OL5 9PY
 01457 832 724
 info@airtecairsystems.ltd.uk

